G. R. S. IX-5]

Previous references.

File No. 203-18

Serial Nos. 1-5

Later references.

127-18(1-2)
" 52-19(2)23
" 11-21-32, 44045
pp 3-25 nb 46.47.53.56.62.
for 8-26 (8 & 11
pp 9-26 nt (1+2
P.P. 12-27-2, 10
G.M. 72-29 (1-6)

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 5 to 6

Part B for March 1920

SUBJECT.

Installation of electric lights to Baninnantapat Ayports

Delhi
9/4/20 9/4/20

GENERAL AND REVENUE SECRETARIAT.

PP

NOTES.

File No. 203-18

FILE HEADING.

Installation of Electric lights to Bannimantap at Mysore.

From

The Secretary P.W.D.

No. C.P.S. 316 Dated 16-4-19 Received 19-4-19

Diary No. 1674	Enclos. 1	Spare Copies. -	Serial No. 1

BRIEF ABSTRACT OF LETTER.

Requesting sanction to debit to Genl Admn the sum of Rs 69691- being the proportionate cost incurred for installing electric lights on the new road to Bannimantap at Mysore & for running a power line to connect the Bannimantap Parade Ground ~~xxx~~ illuminations and requesting orders as to the sources from which the maintenance charges of these installations as well as those in the Parade Grounds at Bannimantap and Govt House shall be met.

NOTES AND ORDERS.

1) Subd for orders as to whether the initial cost of Rs 69691- and the maintenance charges of the

R. S. III-2,

General and Revenue Secretariat.

PP File No. 208 of 191

Serial No.

installations may be ordered to be met from "Genl Admn". The Fe Dept may also be consulted as the proposal involves a recurring expenditure

24.4.14

23/4

Chief Secy)

2) Please compare copy of the Fy. T. 4 Nov. 1912

25/4/14

4) H. copy of G.O. No 3274-93/M. dt 2-12 dt 4-11-1912 is sent herewith.

25/4

25-4-14

Chief Secy)

5) If the cost of estimate 3 & 4 are borne by the P.W.D, it is not clear why Estimate 2 & portion of 1 should be charged to Genl Admn. These should also be met from the P.W.D budget. Regarding

R. S. III-2

General and Revenue Secretariat.

PW File No. 203 of 1918

Serial No.

Maintenance charges part of the charges not met by municipality may be met by Palace Admn.

U.O. No. 133-18 17-5-19 Returned with compliments to Secy P.W.D. for remarks.



U.O. No. C.P.S. 494.

Returned with compliments to the Chief Secretary to Government.

2. The suggestion made by this office is in accord with the advice of the Comptroller.

3. A portion of the first estimate having been met by the Municipality, the balance thereof and the cost of the second estimate are proper charges against General administration from which the initial and the recurring cost of installations in palace properties and for Palace purposes is generally met.

For Secretary to Government,
P.W.Department.

Bangalore,
4 June 1919.



Subject orders

Chief Secy

Please consult Comptroller

G. R. S. III-2.

General and Revenue Secretariat.

P.P. File No. 203 of 19[illegible]

Serial No.	
	10) Forwarded 2/0 with compliments to the Comptroller to the Govt. of H.H. the Maharaja for favour of opinion
73881	

No. 148
P.P.

Ch Secy
27 JUN 1919

4-15 pm

By order,

G. Mahabalesa
for Chief Secy to Govt.

CONTROLLER 245 19 JUN 1919 BANGALORE. MYSORE GOVT.

18/6/19

11)

Note No. 240/1717 to i.a.dii dt 25/6/19.

D) The general principles to be followed ~~are~~ may be the following in this case -

(1) Cost of original installation in Palace Buildings or other Palace property to be borne by the Palace.

(2) (a) Cost of original installation in roads whether within or without Municipal limits, to be treated as Capital cost of the Electrical Department on "Interior Power & Lighting" if the price of power payable to that Department is a sufficient return on such capital cost.

(b) If however the lamps are lit only on festive occasions and the return is not adequate, the capital cost to be met by the Municipality for the part of the installation within its limits and by "Civil Works - Original Works - Misc: Public Improvements" - for the other part outside such limits.

(3) Only the cost of power consumed to be charged to General Administration in respect of installations within Palace Buildings, or other Palace property and on roads maintained at the expense of the P.W. Department.

G. R. S. III-2.

General and Revenue Secretariat.

PP File No. 203 of 191

Serial No.

(4) Incidence of cost of maintenance to follow that of original installation.

Bangalore,
24th June 1919.

M Hindmarsh
Comptroller.

CV

CHIEF SECRETARIAT. II POLITICAL BRANCH. 27 JUN. 1919

Dlo 24.6.9

12) Subo with reference to para 9.

Y. VS done

2/6

P. W. D. SECRETARIAT. E.D.S. II 3/7/19.

13) Forwarded s/o with compliments to the Secretary to Government, Public Works Dept, for favour of the items of expenditure being classified under the heads specified in the Comptroller's Note.

By order.

No. 1 1.7.19.

for Chief Secy to Govt

1/7/19

VS Y

2. D.V) Receipt noted a further note

R. S. III-2]

General and Revenue Secretariat. | PY File No. 203 of 1918.

Serial No.

E. O. No. E-D.V. 248 10.7.19.

Memo. per me wt. 11/7

10/7/19

To) Forwarded, with compliments, to the Chief Electrical Engineer, for favour of classifying the estimates under the heads indicated by the Comptroller & return

Madanbi
Secy. to Govt. Mudbys

No. ~~4204~~ 4182 dated 31-10-1919. 5/11/19

C. & D. SECRETARIAT. E.D.S. REGD. No. 277 Date 4-11-19. GOVT. OF MYSORE.

Classification of the estimates under the heads indicated by the Comptroller is as follows:-

Estimate No.1 - Rs.4,750/- Original miscellaneous public improvements. Rs.1,075/- Municipality.

-do- 2 - Miscellaneous public improvements.

-do- 3 - Palace.

-do- 4 - Palace.

The file got mixed up with other files in the office, the delay in the disposal of the above reference is regretted.

Bangalore, 31-10-'19.

Chief Electrical Engineer.

E. D. V/ Mem. up Palace 4/11/19 RWS

NOTE—Contn. sheet. 4/11/19

[G. R. S. III-2]

General and Revenue Secretariat.

PV File No. 203 of 1919.

19674

Serial No.

16) Returned, with compliments, to the Chief Secretary to Govt. with reference to K. O. 20-1 of 1st July 1919.

R V Sundaram
for Secretary to Govt.
5/11/19 Dy Secy

DEPT. OF REV. JUDL.
8 - NOV 1919

12.31

CHIEF SECRETARIAT
POLITICAL BRANCH
8 NOV 1919

No. W: K.D.S. 330 dy. 7.11.1919.

17) Subd
2/11 8/11

18) Draft acc'd & comptroller's Opinion now
Dm
8-11-19

Two
19) Draft G.O's Subd
Asst. 13.11.19
15

Mr. Hayavadana Rao's Table
Mr. A. N. R.
Please look up the draft today
L.S.
12.11.19

Mr Hayavadana Rao's proposals may be consulted in G.O. before the orders issue
Dm
17-11-19.
20.

Chief Secy)

Forwarded with compliments to the Hon'ble Diwan Bahadur for favour of remarks.
C S Balasundaram Ayyar
24/11/19

Ele 103
24/11/19

(C S Mudaliar)
Let you go through the papers, & then hear you thereafter we shall discuss the proposals
Palace
24/11

Ele 2384
one file

Returned with compliments to the Chief Secretary with the observation that the Draft Order laying down the general principles to be followed in debiting the various initial and r curring expenditure in respect of electric installations in Mysore City requires some modi-

NOTE—Contn. sheet.

Serial No.

modification in so far as the installations in Palace Properties are concerned. The mere fact that the installation is in Palace owned property cannot be taken as a criterion to the charges being debited to Palace. It is more the purpose for which the installation is given that should guide the incidence of cost. For instance, the cost of installations to the Palace Dome, Palace Court Yard, the Banni Mantap and Government House Parade grounds and others similarly situated in the premises of Palace owned properties which are solely intended for use during State or Public functions is a legitimate charge on the General Administration.

The initial and maintenance charges of the installations mentioned above are debitable to Government and not to the Palace. Reference is invited on this subject to para 2 of this office D.O.No. 178 (1267) dated the 29th July 1918 to the address of the Private Secretary to the Dewan, conveying therein His Highness' Orders.

1525-19 ORE. DEC 919

MRS.

Palace, Mysore, 27th Dec. 1919.

for Huzur Secretary.

Draft

Kindly favour of further opinion

29-12-19

1674

G. R. S. III-2]

General and Revenue Secretariat.

P P File No. 203 of 191 C.

Serial No.

The only order on the subject is contained in Progs dt 4.11.12. and it relates to cost of power and not to Cap cost of installations and nor to expenses of maintaining them. If the incidence of cost of installation in Palace properties should be decided with reference to the purpose of installation a general order to that effect may be issued.

13-1-20

Ch: Secy) Submitted for orders.

16/1

Chief Secy)

Please revise the draft embodying therein the modifications suggested in Mr S.P. Rajagopalachari's note.

20/1/20

Revised draft is submitted

22/1

480-3-311 Chief Secy)

27.1.20 Sd/-

1st member } Dewan }

Draft approved by Dewan (Please see remarks on page 12 ante)

28.1.20

CHIEF SECRETARIAT. POLITICAL BRANCH. 16 JAN. 1920

CHIEF SECRETARIAT. POLITICAL BRANCH. 16 JAN. 1920

DEWAN'S OFFICE. Recd. on JAN 29 1920 Reg. No. 5148

TE—Conta. sheet.

WD A 1789—GPB—60,000—20-3-18—S. M.

18624 (10

G. R. S. III-2]

General and Revenue Secretariat.

P V File No. 202 of 1919.

Serial No.

Issue after supplying minimum in the margin of the draft

CSK 2/2/1920 MM 2/2

Draft D.O. to Secy to Govt. P.W.D. is put up.

Jme MM 3/2/20

2/2 2/2

G. 17963 S.S. 2.2.1920

To

The Chief Engineer

G. 17963 S.S. 2.2.1920

Requests him to intimate as early as possible the cost of the estimate for permanently installing electric lights in the Govt. House Parade Ground

Yours

The Chief Engr:

No. E.D.S. 643-M 7/2/20 Recd 9/

Furnishing the information called for in Sl. 2.

Submit for orders as to which the draft in which the

CHIEF SECRETARIAT POLITICAL BRANCH 9 FEB. 1920

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-3-18—S.

13022.P (11

G. R. S. III-2]

General and Revenue Secretariat. | PP File No. 203 of 1918.

Serial No.

has been suspended pending new issue.

Imc
11/12/20

10/2

The order is in accordance with the F/D opinion noted in page: 9

Draft & paint communicating the order submitted

17/2 18/12/20

Communicated
19/2

To

The Secy to Govt P.W. Deptt
" Finance Secy to H.H.
" President Municipal Council Phsore
" Comptroller Fin. Revl Sectt
" Secy to Govt Rev Deptt

No.G 48000-5-8 16-2-1920

Lays down instructions for debiting the initial and recurring charges of Electric installations in Palace properties in Phsore

DIARY NO. 14506 162

SECRETARIAT
POLITICAL BRANCH
21 FEB. 1920

P.P. Gadre

D.O. No. 511. C.S. 21/2/20

GOVERNMENT OF MYSORE

The Palace,

Mysore, 19th February 1920.

My dear Sir,

Adverting to Government Order No.G18800- 5/ P.P.203-18-4 dated the 16th February 1920 laying down for observance, in future, certain principles in debiting the various initial and recurring charges of electric installations in the Palace properties in Mysore, I write to bring to your notice that there are many buildings belonging to the Palace which are given temporarily for occupation to - Officers or private individuals who pay for the cost of - energy consumed by them during their tenancy.

According to the wording of Clause(c) of the Rules as now laid down, tenants of the Palace owned buildings will also get the benefit of the exemption from payment of recurring charges. I am to request you to kindly add a - proviso to the effect that where such Palace owned properties are tenanted by Officers or private individuals, the charges for the power consumed therein will be recovered from them.

Yours sincerely,

N. Krishnamachar

Balasundaram Iyer, Esq., B.A.,

Chief Secretary to the Gott. of His Highness

the Maharaja of Mysore, Bangalore.

Send with reply and a draft

21/2 The draft is not suitable. Please bring up

M.

G. R. S. III-2]

General and Rev
Secretariat.

Revised draft sent

24/2/20

24/2

Chief Sec

Issue

26/2

26/2

Reference is invited to H.D. minute noted in Col. 9 ante

Draft Main communicating the order

Silmted

3/3

3/3

Issued

5/3.

To

The Secy. P. W. Deptt.

" Home Secy.

" President. Ag. Mpl. Cl

" Comptroller, Civil Finance

" Secy. to Govt. Rev. Deptt.

No. G. 1976 dt. 28. 2. 20

Adds a proviso to clause (c) of the Govt. sanction to install the initial and recurring charges of Electric installation in Palaces & Bungalows in Mysore

NOTE—Contn. sheet

SECRETARIAT
POLITICAL BRANCH
17 MAR. 1920

DIARY NO. 18674

Telegraphic Address: *Stateworks*

12-8-19
SECTION PP
FILE NO. 2038
SERIAL NO. 1

No. C.P.S. 316 MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE.

Bangalore, 15 April *1919*

From S. CADAMBI, ESQUIRE,
~~KARPUR SHRINIVASRAO, Esq., B.Sc., L.C.E.,~~
Secretary to the Government of Mysore,
Public Works Department.

C. S. BALASUNDARAM IYER, ESQ., B.A.,
Chief secretary to Government,
B A N G A L O R E.

Sir,

I have the honor to inform you that 4 estimates, as noted in the margin, were sanctioned by Government in the P. W. Department, but the source from which their initial outlay as well as their maintenance charges should be met was under discussion.

1. Estimate for installing street lights on the new road to Banni Mantap from the Seringapatam Ookad, Mysore. Rs. 5,825.	
2. Estimate for running a power line to connect the Banni Mantap Parade Ground illumination. Rs. 2,219.	
3. Estimate for permanently installing half watt fittings for illuminating the Parade Ground at Banni Mantap. ... Rs. 4,272.	
4. Estimate for permanently installing electric lights in the Government House Parade Ground, Mysore, for illuminating it.	

2. The Mysore City Municipal Council have agreed to bear their share of the cost of No. 1 estimate, viz., Rs. 1,075.

3. In G.O. No. G.10674-9/P.P.127-18-2 dated the 6th December 1918, it was directed that "all charges relating to the supply of Electric Power to the Race Course Billiards Room, one of the Palace buildings at Mysore, and to the lights installed in the Parade Ground at Mysore

W D C2802—GPB—3500—15-1-17

1918-19.

MYSORE P. W. DEPARTMENT.

No. C.P.S. 316.

From The Secretary to the Government of Mysore, Public Works Department, Bangalore.

To The Chief Secretary to Government, Bangalore.

Dated Bangalore, 15th April 1919

Despatched " 16th April 1919.

Enclosure No.

Subject.

Re allocation of outlay on "Installing electric lights in Bannimantap"

should be debited to the General Administration".

4. The Comptroller of Mysore has stated in his letter No. C.P.S. 1283 dated the 21st March 1919 (vide copy attached), that, except a sum of Rs. 1,075, recoverable from the Municipality towards the cost of the first item, the balance, viz., Rs. 4.750. as well as the expenditure on the second estimate may be charged to "General Administration".

5. The cost of the estimates No. 3 and No. 4 has been ordered to be charged to the P. W. Budget.

6. Orders may kindly issue tothe Comptroller to accept the debit of Rs. 6,969 raised by the Electrical Department against "General - Administration", being the cost of the two estimates referred to in para 4 above.

7. It may also be decided as to which budget should bear the maintenance cost of all the 4 works enumerated in the margin.

I have the honor to be,

Sir,

Your most obedient servant,

R V Sundaramma

DEPUTY SECRETARY TO GOVERNMENT,

PUBLIC WORKS DEPARTMENT.

E.W.M/5-4.4.

Letter No. C.P.S.1283 dated 21st March 1919, from the Comptroller of Mysore, to the Secretary to Government, public Works Department, Bangalore.

In continuation of this office letter No. 1211 dated 3rd March 1919 regarding the allocation of outlay on "Installing Electric lights in Bannimantop", I have the honor to state that except a sum of Rs. 1,075 recoverable from the Municipality towards the amount of the first estimate, the rest of the expenditure on the marginally noted estimates may form a charge against "General Administration".

1. Installing street lights on the new road to Banni Mantop.	Rs. 5,825
2. Running a power line to connect the Bannimantop Parade Ground illumination.	Rs. 2,219
Total ...	Rs. 8,044

"C O P Y"

Assistant Secretary to Government

Public Works Department.

G. R. S. VI—G/32]

SUBJECT:.....

Diary No. of letter replied to...

Section PP
File No. 2038
Serial No. 2

GENERAL AND REVENUE SECRETARIAT
( )
the 191 .

No. G1798

Date of issue..... 8/2 .....

Signed by.....

To

The Secy to Govt.
P.W.D.

Dear Sir,

I am desired to request you to kindly intimate as early as possible the cost of the estimate for permanently installing electric lights in the Govt House Premises Ground, Mysore, referred to in the margin of your

over.

DIARY NO 13828.

IN 9.20 PP

ON

Public Works Secretariat, 20378

Bangalore, 7th February 1920. 3

GOVERNMENT OF MYSORE

CHIEF SECRETARIAT. POLITICAL BRANCH. 9 FEB 1920

No: PDS/643/5L.

Dear Sir,

With reference to your D.O. letter No.G.17963 P.P.203-18-2 dated the 5th instant, the estimated cost of permanently installing electric lights in the Government House Parade Ground, Mysore, is Rs 7,493, as stated in this office letter No.C.P.S.316 dated the 15th April 1919-

I have asked the Chief Electrical Engineer to state the actual expenditure against the estimate and the same will be furnished on receipt from that officer.

Yours sincerely,

Madam br

C.S.Balasundaram Iyer, Esq., B.A.,

Chief Secretary to Government.

8 Copies

S.O. temp no 1981 20 2/19/2

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read:-

PP 203-8-4

Government Order No. 3274-93/ Ml. 172-12-1 dated 4th November 1912 directing that the cost of Electric power supplied to certain Palace properties in Mysore should be debited to -- General Administration.

2. Letter No. C.P.S. 316 dated 15th April 1919 from the Secretary to Government, P.W.Deptt forwarding the marginally noted estimates relating to the installations of Electric lights in Mysore and suggesting sources from which the initial andtrecurring charges are to be met.

1. Estimates for installing street lights on the new road to Bannimantap from the Seringapatam Ookad Mysore, Rs. 5,825.
2. Estimate for running a power line to connect the Banni Mantap Parade Ground illuminations Rs. 2,219.
3. Estimate for permanently installing half watt fittings for illuminating the Parade Ground at - Banni Mantap Rs. 4,272.
4. Estimate for permanently installing electric lights in the Government House Parade Ground, Mysore for illuminating it - Rs 4,082.

Order No. 918800-5

Dated 16 ~~January~~ 4th Feb 1920

As the Government Order of 4th November 1912 read above relates only to the cost of power supplied to certain Palace properties and not to the cost of either the original installation or of ~~the~~ maintenance charges, Government are pleased to lay down the following general principles for observance in future in debiting the various initial and recurring charges of - electric installations in Palace Properties in Mysore:-

(a) cost of original installation in Palace buildings and other Palace properties will be borne by the Palace. If however the purpose for which such installations are given is solely for use during State or Public functions, the cost of installations in such cases will be charged to General Administration

(b) cost of original installation in roads within or outside the Municipal limits will be treated as capital cost of the Electrical department on the "Interior Power and Lighting" if the price of power payable to that department is a sufficient return on such capital costs. If, however, the lights are used only on festive occasions and the return is not adequate the capital cost should be met by the Municipality for the part of the installation within its limits and by civil works --Original works.-- Misc: Public Improvements for the other part outside such limits.

(c) the cost of power consumed will be charged to General Administration in respect of all installations within Palace buildings or other Palace properties and on roads maintained at the expense of the Public Works Deptt.

(d) Incidence of cost of maintenance will follow that of the original installation.

2. The above principles will be followed by the Controller in debiting to the respective departments the cost of the four estimates referred to above.

Chief Secy to Govt

To

The Secretary to Government, P.W.D.
The Huzur Secretary to H.H. the Maharaja.
The President, M.C.M.
The Comptroller through Finl Sectt.
The Secretary to Govt. Rev. Deptt.

S. O.

Electric Installations.

No. G. 18800-5—P. P. 203-18-4, DATED 16TH FEBRUARY 1920.

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

GENERAL AND REVENUE DEPARTMENTS.

READ—

Government Order No. 3274-93—Mi. 172-12-1, dated 4th November 1912, directing that the cost of Electric power supplied to certain Palace properties in Mysore should be debited to General Administration.

2. Letter No. C. P. S. 316, dated 15th April 1919, from the Secretary to Government, Public Works Department, forwarding the marginally noted estimates relating to the installations of Electric lights in Mysore, and suggesting sources from which the initial and recurring charges are to be met.

	Rs.
1. Estimate for installing street lights on the new road to Bannimantap from the Seringapatam Ookad, Mysore	... 5,825
2. Estimate for running a power line to connect the Bannimantap Parade Ground illuminations	... 2,219
3. Estimate for permanently installing half watt fittings for illuminating the Parade Ground at Bannimantap	... 4,272
4. Estimate for permanently installing electric lights in the Government House Parade Ground, Mysore, for illuminating it.	... 7,493

Order No. G. 18800-5—P. P. 203-18-4, dated 16th February 1920.

As the Government Order of 4th November 1912 read above relates only to the cost of power supplied to certain Palace properties and not to the cost of either the original installation or of maintenance charges, Government are pleased to lay down the following general principles for observing in future in debiting the various initial and recurring charges of electric installations in Palace properties in Mysore :—

(*a*) Cost of original installation in Palace buildings and other Palace properties will be borne by the Palace. If however the purpose for which such installations are given is solely for use during State or Public functions, the cost of installations in such cases will be charged to General Administration.

(*b*) Cost of original installation in roads within or outside the municipal limits will be treated as capital cost of the Electrical Department on the 'Interior Power and Lighting' if the price of power payable to that department is a sufficient return on such capital costs. If, however, the lights are used only on festive occasion and the returns not adequate the capital cost should be met by the Municipality for the part of the installation within its limits and by civil works—Original works—Miscellaneous Public Improvements for the other part outside such limits.

(*c*) The cost of power consumed will be charged to General Administration in respect of all installations within Palace buildings or other Palace properties and on roads maintained at the expense of the Public Works Department.

(*d*) Incidence of cost of maintenance will follow that of the original installation.

2. The above principles will be followed by the Comptroller in debiting to the respective departments the cost of the four estimates referred to above.

C. S. BALASUNDARAM IYER,
Chief Secretary to Government.

To—The Secretary to Government, Public Works Department.
The Huzur Secretary to His Highness the Maharaja.
The President, Mysore City Municipal Council.
The Comptroller, Mysore Government, through Financial Secretariat.
The Secretary to Government, Revenue Department.

Exd.—C. R.

Government of His Highness the Ma
of Mysore.

GENERAL AND REVENUE DEPARTMENT

G. O. No. G. [illegible] P. 203-18-4,
dated 16th February 1920.

should be changed
Govt Administration
Order No

Govt are pleased
to direct that the following
proviso will be added
at the end of clause
(c) of the order read above:-
"If Palace owned properties
are tenanted by Officers
or private individuals, the
cost of the power consumed
will be recovered from
the tenants in accordance
with para 3 of G.O. No G. 3244-4
Dtd 142-12-1 42 4-11-1942."

14/12/42 Chief Secy

To

The Secy to H.E.H.
The Hyderabad Secy to H.H. the Nizam
The President City Improvement Board
The Comptroller (Hydro: & Secy)
The Secy to Govt [illegible]

S.O.

Electric Installations in Palace Properties in Mysore

No. G. 19965-9—P.P. 203-18-5, dated 28th February 1920.

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

GENERAL AND REVENUE DEPARTMENTS.

READ—

Clause (*c*) of para 1 of Government Order No. G. 18800-5—P. P. 203-18-4, dated the 16th February 1920, directing that the cost of electric power consumed in respect of all installations within Palace buildings or other Palace properties and on roads maintained at the expense of the Public Works Department should be charged to General Administration.

Order No. G. 19965-9—P.P. 203-18-5, dated 28th February 1920.

Government are pleased to direct that the following proviso will be added at the end of clause (*c*) of the order read above :-

" If Palace owned properties are tenanted by Officers or private individuals, the cost of the power consumed will be recovered from the tenants in accordance with para 3 of Government Order No. G. 3274-93.—Ml. 172-12-1, dated 4th November 1912."

To—The Secretary, Public Works Department, Bangalore.
The Huzur Secretary to His Highness the Maharaja.
The President, City Municipal Council, Mysore.
The Comptroller, Mysore Government (through Finl.
The Secretary to Government, Revenue Department.

Exd.—C. R

overnme t of his highness the Maharaja of Mysore.

GENERAL AND REVENUE DEPARTMENTS

G. O. No. G. 19965-9—P. P. 203-18-5, dated 28th February 1920.

Electric Installations in Palace Properties in Mysore.

Adds a proviso to clause (*c*) of the G. O. G. 18800-5—P.P. 203-18-4, dated 16th ebruary 1920, *re* debiting the initial and recurring charges of —.

W D 2028—GPB—13-3-20—305